## **TITLE SHEET**

Regulations, Rates and Charges

Applying to the provision of

**Intrastate Access Services** 

Within the operating territory of

Hancock Rural Telephone Corporation d/b/a NineStar Connect

In the state of Indiana

#### CONCURRENCE AND EXCEPTIONS

Hancock Rural Telephone Corporation d/b/a NineStar Connect (NineStar or the Company) concurs in the following sections of the John Staurulakis, Inc. (JSI) Interstate Access Tariff F.C.C. No. 1 except as noted below, subject to approval by the Indiana Utility Regulatory Commission.

JSI Section	Concur	NineStar Exceptions	
Title Pages	No	See NineStar Title Page	
Check Sheets		See NineStar Check Sheets	
Supplements	No	Not applicable to Intrastate	
Table of Contents	Yes	None	
Application of Tariff	Yes	None	
2. General Regulations	Yes	None	
3. Federal Universal Service Charge, ISDN Line Ports, DS1 Line Port and Consumer Broadband-Only Loop Charge		Not applicable to Intrastate	(T
4. End User Access Service	No	Not applicable to Intrastate	
5. Access Ordering	Yes	None	

TR 204

ISSUED: January 10, 2017 EFFECTIVE: January 11, 2017

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

JSI Section	Concur	NineStar Exceptions
6. Switched Access Service	Yes	In addition to concurrence with Section 6 regulations for Switched Access Service, the following regulations apply to NineStar intrastate access service.

#### 6. <u>Switched Access Service</u> (Cont'd)

#### 6.1 <u>General</u> (Cont'd)

#### 6.1.1 <u>Description and Provision of Switched Access Service Arrangements</u> (Cont'd)

#### (C) <u>VoIP PSTN Traffic</u>

Identification and Rating of VoIP-PSTN Traffic

This section governs the identification of Toll VoIP-PSTN Traffic which the FCC in its Report and Order in WC Dockets Nos. 10-90, etc., F.C.C. Release No. 11-161 (November 18, 2011) (F.C.C. Order) has allowed to be tariffed in both federal and state access tariffs unless the parties have a negotiated agreement. The Company recognizes that according to the FCC Order all VoIP-PSTN traffic is governed by section 251(b)(5) Framework including Toll PSTN VoIP Traffic which is included in this tariff.

For the purposes of this Tariff Toll VoIP-PSTN Traffic is defined as interexchange traffic exchanged between a Company end user and the customer in Time Division Multiplexing (TDM) format that originates and/or terminates in Internet Protocol (IP) format. Toll VoIP-PSTN traffic originated and/or terminates in IP format when it originates from and/or terminates to an end user customer of a service that requires IP-compatible customer premises equipment.

Although the Company has taken the position that this tariff, by its own terms, already applies to VoIP-PSTN traffic, as defined herein, the Company has included this Section in the tariff out of an abundance of caution to prevent any claim that it does not so apply, and to implement the decision by the Federal Communications Commission in its Report and Order in WC Docket Nos. 10-90, etc., FCC Release No. 11-161 (Nov. 18, 2011) ("FCC Order") that VoIP-PSTN access traffic should be exchanged at interstate access rates (unless the parties have agreed otherwise). By its terms, the FCC Order is prospective only, and does not address preexisting law with regard to the applicability of intercarrier compensation or the enhanced service providers ("ESP") exemption to VoIP-PSTN Traffic.

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.1 <u>Description and Provision of Switched Access Service Arrangements</u> (Cont'd)
      - (C) <u>VoIP PSTN Traffic</u> (Cont'd)

Identification and Rating of VoIP-PSTN Traffic (Cont'd)

The customer shall deliver all Toll VoIP-PSTN traffic on its facilities that deliver other voice access traffic. Toll VoIP-PSTN traffic shall not be delivered on local trunk groups.

Specifically, this section establishes the method of separating Toll VoIP-PSTN Traffic from the customer's traditional intrastate access traffic, so that Toll VoIP-PSTN Traffic can be billed in accordance with the F.C.C. Order.

Toll VoIP-PSTN Traffic identified in accordance with this tariff section will be billed at rates equal to the Company's applicable tariffed interstate switched access rates as set forth in the JSI Tariff F.C.C. No. 1.

Calculation and Application of Percent-VoIP- Usage Factors

(1) The Company will determine the number of intrastate Toll VoIP-PSTN Traffic minutes of use (MOU) to which interstate rates will be applied under B, preceding, by applying an originating Percent Toll VoIP-PSTN Usage (PVU) factor to the total intrastate access MOU originated by a Company end user and delivered to the customer and by applying a terminating PVU factor to the total intrastate access MOU terminated by a customer to the Company's end user.

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

- 6. Switched Access Service (Cont'd)
  - 6.1 <u>General</u> (Cont'd)
    - 6.1.1 Description and Provision of Switched Access Service Arrangements (Cont'd)
      - (C) <u>VoIP PSTN Traffic</u> (Cont'd)
        - (2) The customer will calculate and furnish to the Company an originating PVU factor representing the whole number percentage of the customer's total originating intrastate access MOU that the customer exchanges with the Company in the state that is received from the Company and that is terminated in IP format and that would be billed by the Company as intrastate access MOU at rates equal to interstate rates. When the FCC rules allow, originating VoIP-PSTN traffic shall be billed at intrastate access rates.
        - (3) The customer will calculate and furnish to the Company a terminating PVU factor representing the whole number percentage of the customer's total terminating intrastate access MOU that the customer exchanges with the Company in the state that is sent to Company and which originated in IP format and that would be billed by the Company as intrastate access MOU at rates equal to interstate.
        - (4) The customer shall not modify their reported PIU factor to account for Toll VoIP-PSTN Traffic.
        - (5) Both the customer provided originating PVU and the terminating PVU hall be based on information such as the number of the customer's retail Toll VoIP subscriptions in the state (e.g. as reported on F.C.C. Form 477), traffic studies, actual call detail or other relevant and verifiable information which will be provided to the Company upon request for subsequent PVU submissions.

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

- 6. Switched Access Service (Cont'd)
  - 6.1 <u>General</u> (Cont'd)
    - 6.1.1 Description and Provision of Switched Access Service Arrangements (Cont'd)
      - (C) <u>VoIP PSTN Traffic</u> (Cont'd)
        - (6) The customer shall retain the call detail, work papers, and information used to develop the PVU factors for a minimum of one year.
        - (7) If the Customer does not furnish the Company with a PVU factor according to this section, the Company will utilize a PVU equal to zero. At the time of this tariff filing, Company has a PVU of zero. If the Company offers VoIP at a future date, the tariff will be updated as appropriate.
      - (D) PVU Factor

The customer may update the PVU factors quarterly using the method set forth in (A)(3), preceding. If the customer chooses to submit such updates, it shall forward to the Company, no later than 15 days after the first day of January, April, July and/or October of each year, revised PVU factors based on data for the prior three months, ending the last day of December, March, June and September, respectively. The revised PVU factors will serve as the basis for future billing and will be effective on the bill date of each such month and shall serve as the basis for subsequent monthly billing until superseded by new PVU factors. No prorating or back billing will be done based on the updated PVU factors.

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

- 6. Switched Access Service (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.1 Description and Provision of Switched Access Service Arrangements (Cont'd)
      - (E) PVU Factor Verification
        - (1) Not more than twice in any year, the Company may request from the customer an overview of the process used to determine the PVU factors, the call detail records, description of the method for determining how the end user originates and terminated call in IP format, and other information used to determine the customer's PVU factors furnished to the Company in order to validate the PVU factors supplied. The customer shall comply, and shall reasonably supply the requested data and information within 15 days of the Company's request.
        - (2) The Company may dispute the Customer's PVU factor based upon:
          - (a) A review of the requested data and information provided by the customer
          - (b) The Company's reasonable review of other market information, F.C.C. reports on VoIP lines, such as F.C.C. Form 477 or state level results based on the F.C.C. Local Competition Report or other relevant data.
          - (c) A change in the reported PVU factor by more than five percentage points from the preceding quarter.

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

- 6. Switched Access Service (Cont'd)
  - 6.1 <u>General</u> (Cont'd)
    - 6.1.1 Description and Provision of Switched Access Service Arrangements (Cont'd)
      - (E) <u>PVU Factor Verification</u> (Cont'd)
        - (3) If after review of the data and information, the customer and the Company established revised PVU factors, the Company will begin using those revised PVU factors with the next bill period.
        - (4) If the dispute is unresolved, the Company may initiate an audit. The Company shall limit audits of the customer's PVU factor to no more than twice per year. The customer may request that the audit be conducted by an independent auditor. In such cases the associated auditing expenses will be paid by the customer.
          - (a) In the event that the customer fails to provide adequate records to enable the Company or an independent auditor to conduct an audit verifying the customer's PVU factors, the Company will bill the usage for all contested periods using the most recent undisputed accepted PVU factors reported by the customer or the FCC default PVU. These PVU factors will remain in effect until the audit can be completed.
          - (b) During the audit, the most recent undisputed PVU factors the previous reporting period will be used by the Company.
          - (c) The Company will adjust the customer's PVU factors based on the results of the audit and implement the revised PVU in the next billing period or quarterly report date, whichever is first. The revised PVU factors will apply for the next two quarters before new factors can be submitted by the customer.

#### CONCURRENCE AND EXCEPTIONS (Cont'd)

- 6. Switched Access Service (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.1 Description and Provision of Switched Access Service Arrangements (Cont'd)
      - (E) <u>PVU Factor Verification</u> (Cont'd)
        - (d) If the audit supports the customer's PVU factors, the usage for the contested periods will be adjusted to reflect the customer's audited PVU factors.
        - (5) The customer will calculate and furnish to the Company an originating PVU factor representing the whole number percentage of the customer's total originating intrastate access MOU that the customer exchanges with the Company in the state that is sent to Company and which terminated in IP format and that would be billed by the Company as intrastate access MOU charged at rates equal to interstate rates.
        - (6) The customer will calculate and furnish to the Company a terminating PVU factor representing the whole number percentage of the customer's total terminating intrastate access MOU that the customer exchanges with the Company in the state that is sent to Company and which originated in IP format and that would be billed by the Company as intrastate access MOU charged at rates equal to interstate rates.
      - (F) Rate Regulation-VoIP-PSTN Traffic

Toll VoIP-PSTN Traffic identified in accordance with this tariff will be billed at rates equal to the Company's applicable tariffed interstate switched access rates as specified in JSI Tariff No. 1 Section 17.2 in which the Company concurs.

ISSUED: June 21, 2016 \_\_\_\_\_\_ EFFECTIVE: \_\_\_\_

## CONCURRENCE AND EXCEPTIONS (Cont'd)

JSI Section	Concur	NineStar Exceptions
7. Special Access Service	Yes	None
8. Digital Subscriber Line Access Service	No	Wireline Broadband Internet Access Service provided on a common-carriage non-tariffed basis effective July 1, 2016.
9. Reserved for Future Use	N/A	N/A
10. Special Federal Government Access Service	No	Not applicable to intrastate
11. Special Facilities Routing of Access Services	Yes	None
12. Specialized Service or Arrangements	Yes	None
13. Additional Engineering, Additional Labor and Miscellaneous Services	Yes	The following are not applicable to intrastate: 13.4 Presubscription 13.15 Local Number Portability 13.16 Access Recovery Charge
14. Reserved for Future Use	N/A	N/A
15. Access Service Interfaces and Transmission Specifications	Yes	None
16. Public Packet Data Network	Yes	None
17. Rates and Charges		
Pages 17-2 through 17-1850	No	Not applicable to NineStar
Pages 17-1851 through 17-1911	Yes	The following are not applicable to Intrastate Access Service:  • 17.1.1 End User Access Service  • 17.1.2 Federal Universal Service Charge  • 17.4.4 Presubscribed Interexchange Carrier  • 17.4.4 Access Recovery Charge  • 17.4.5 Special Federal Government Access Service
	No	Not applicable to NineStar

TR 232

#### **CHECK SHEETS**

NineStar	NineStar	IURC	JSI	Exception Statement
Page Number	<b>Revision Number</b>	Effective	Trans.	_
C		Date	No.	
Title 1	Original	07/01/16		
Concurrence and	Exceptions Exceptions			
1	1st	01/11/17	204	
2	Original	07/01/16		
2 3	Original	07/01/16		
4	Original	07/01/16		
5	Original	07/01/16		
6	Original	07/01/16		
7	Original	07/01/16		
8	Original	07/01/16		
9	7th	07/01/20	232	
Check Sheets				
CS 1	17th	10/01/20	234	
CS 2	7th	07/01/20	231	
CS 3	8th	10/01/20	234	
CS 3.1	5th	07/01/20	231	
CS 3.2	6th	10/01/20	234	
CS 4	1st	01/01/20	228	
CS 5	2nd	04/01/20	230	
CS 6	4th	11/01/19	227	
CS 7	3rd	08/31/19	225	
CS 8	1st	08/31/19	225	
CS 9	Original	07/01/16	223	
CS 10	1st	07/01/10	231	
CS 10 CS 11	7th	10/01/20	234	
CS 11.1	7th		234	
		10/01/20		
CS 12	11th	10/01/20	234	
CS 12.1	2nd	07/01/20	231	
CS 13	2nd	08/31/19	225	
CS 14	1st	08/31/19	225	
CS 15	Original	07/01/16		
CS 16	Original	07/01/16	224	
CS 17	6th	10/01/20	234	
CS 17.1	2nd	07/01/20	231	
CS 18	9th	10/01/20	234	
CS 18.1	4th	07/01/20	231	
CS 19	5th	11/01/19	227	
CS 19.1	3rd	07/01/20	231	
CS 20	4th	07/01/20	231	
CS 21	6th	10/01/20	234	
CS 21.1	Original	07/01/17	208	
CS 22	Original	07/01/16		
CS 23	4th	07/01/20	232	
CS 24	4th	07/01/20	232	
				TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

# CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Bayisian Number	IURC Effective	JSI	<b>Exception Statement</b>
Page Number	Revision Number	Effective Date	Trans.	
		Date	No.	
JSI Check Sheet	ts Pages 0-1 through 0	-4.46	216	Not Applicable
Table of Conten				
0-5	Original	07/01/16		
0-6	1st	07/01/16		
0-7	11th	07/03/18	215	
0-7.1	2nd	07/01/16		
0-8	7th	07/01/16		
0-9	8th	08/31/19	225	
0-9.1	2nd	07/01/16		
0-10	2nd	01/11/17	204	
0-11	3rd	01/11/17	204	
0-12	5th	01/01/20	228	
0-13	2nd	07/01/16		
0-14	1st	07/01/16		
0-15	Original	07/01/16		
0-16	3rd	07/01/16		
0-17	2nd	07/01/16		
0-18	Original	07/01/16		
0-19	4th	07/01/16		
0-20	2nd	07/01/16		
0-21	Original	07/01/16		
0-22	4th	07/01/16		
0-23	8th	07/01/16		
0-23.1	9th	07/01/20	231	
0-24	4th	07/01/16		
0-24.1	4th	07/01/16		
0-24.2	2nd	03/16/19	221	
0-24.3	5th	07/01/16		
0-24.4	3rd	03/16/19	221	
0-24.5	2nd	07/01/16		
0-24.6	3rd	03/16/19	221	
0-24.7	3rd	03/16/19	221	
0-24.8	3rd	03/16/19	221	
0-24.9	2nd	07/01/16		
0-24.10	2nd	07/01/16		
0-24.11	3rd	07/01/16		
0-24.12	1st	07/01/16		
0-24.13	1st	07/01/16		

TR 231

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	P
8		Date	No.	
Table of Conten				
0-24.14	3rd	03/16/19	221	
0-24.15	1st	07/01/16		
0-24.16	2nd	07/01/16		
0-24.17	4th	07/01/16		
0-24.18	3rd	07/01/16		
0-24.19	5th	07/01/16		
0-24.20	2nd	07/02/19	223	
0-24.21	3rd	03/16/19	221	
0-24.22	2nd	03/16/19	221	
0-24.23	1st	03/16/19	221	
0-24.24	1st	03/16/19	221	
0-24.25	1st	03/16/19	221	
0-24.26	Original	07/01/16		
0-24.27	Original	07/01/16		
0-24.28	Original	07/01/16		
0-24.29	Original	07/01/16		
0-24.30	Original	07/01/16		
0-24.31	1st	03/16/19	221	
0-24.32	Original	07/01/16		
0-24.33	1st	03/16/19	221	
0-24.34	Original	07/01/16		
0-24.35	Original	07/01/16		
0-24.36	1st	07/01/16		
0-24.37	1st	07/01/16		
0-24.38	Original	07/01/16		
0-24.39	1st	07/01/16		
0-24.40	1st	03/16/19	221	
0-24.41	1st	03/16/19	221	
0-24.42	Original	07/01/16		
0-24.43	1st	03/16/19	221	
0-24.44	1st	03/16/19	221	
0-24.45	1st	03/16/19	221	
0-24.46	1st	03/16/19	221	
0-24.47	Original	07/01/16		
0-24.48	1st	10/01/20	234	
0-24.49	2nd	10/01/20	234	
0-24.50	1st	10/01/20	234	
0-24.51	Original	11/01/16	201	
0-24.52	1st	03/16/19	221	
0-24.53	1st	07/02/19	223	
0-24.53.1	1st	07/01/20	231	

TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	
		Date	No.	
T 11 CC /	. (C . (2.1)			
Table of Conter		07/01/17	200	
0-24.54	Original	07/01/17	208	
0-24.55	1st	03/16/19	221	
0-24.56	1st	03/16/19	221	
0-24.57	Original	07/01/17	208	
0-24.58	2nd	07/02/19	223	
0-24.59	2nd	07/02/19	223	
0-24.60	2nd	07/02/19	223	
0-24.61	1st	03/16/19	221	
0-24.62	Original	07/01/17	208	
0-24.63	1st	03/16/19	221	
0-24.64	1st	03/16/19	221	
0-24.65	1st	03/16/19	221	
0-24.66	Original	07/01/17	208	
0-24.67	1st	03/16/19	221	
0-24.68	1st	03/16/19	221	
0-24.69	Original	07/01/17	208	
0-24.70	1st	03/16/19	221	
0-24.71	1st	03/16/19	221	
0-24.72	Original	07/01/17	208	
0-24.73	1st	03/16/19	221	
0-24.74	Original	07/01/17	208	
0-24.75	Original	07/01/17	208	
0-24.76	Original	07/01/17	208	
0-24.77	Original	07/01/17	208	
0-24.78	Original	07/01/17	208	
0-24.79	Original	07/01/17	208	
0-24.80	Original	07/01/17	208	
0-24.81	Original	07/01/17	208	
0-24.82	Original	07/01/17	208	
0-24.83	Original	07/01/17	208	
0-24.84	Original	07/01/17	208	
0-24.85	Original	07/01/17	208	
0-24.86	Original	07/01/17	208	
0-24.87	Original	07/01/17	208	
0-24.88	1st	03/16/19	221	
0-24.89	1st	03/16/19	221	
0-24.90	1st	03/16/19	221	
0-24.91	2nd	07/01/20	231	
0-24.92	1st	03/16/19	221	
0-24.93	1st	03/16/19	221	
0-24.94	1st	03/16/19	221	
0-24.95	1st	03/16/19	221	

TR 231

# CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective Date	JSI Trans. No.	<b>Exception Statement</b>					
		Date	110.						
Table of Conten	Table of Contents (Cont'd)								
0-24.96	Original	07/03/18	215						
0-24.97	Original	07/03/18	215						
0-24.98	Original	07/03/18	215						
0-24.99	Original	07/03/18	215						
0-24.100	Original	11/01/2018	219						
0-24.101	Original	07/02/19	223						
0-24.102	Original	07/02/19	223						
0-24.103	Original	07/02/19	223						
0-24.104	Original	07/02/19	223						
0-24.105	Original	07/02/19	223						
0-24.106	Original	07/02/19	223						
0-24.107	Original	07/02/19	223						
0-24.108	Original	07/02/19	223						
0-24.109	Original	07/02/19	223						
0-24.110	Original	07/02/19	223						
0-24.111	Original	07/02/19	223						
0-24.112	2nd	10/01/20	234						
0-24.113	Original	07/01/20	231						
0-24.114	Original	07/01/20	231						
0-24.115	Original	07/01/20	231						
0-24.116	Original	07/01/20	231						
0-24.117	Original	07/01/20	231						
0-24.118	Original	07/01/20	231						
0-24.119	Original	07/01/20	231						
0-24.120	Original	07/01/20	231						
0-24.121	Original	07/01/20	231						
0-24.122	Original	07/01/20	231						
0-24.123 0-24.124	Original	07/01/20	231						
0-24.124 0-25	Original 1st	07/01/20	231						
0-26	5th	07/01/16	215						
0-26	5th	07/03/18 08/31/19	215 225						
0-27.1	Original	08/31/19 07/01/16	223						
U-21.1	Original	07/01/10							

TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	Revision Number	Effective	Trans.	
		Date	No.	
Table of Conten	ts (Cont'd)			
0-28	3rd	01/01/20	228	
0-29	3rd	01/01/20	228	
0-30	2nd	01/01/20	228	
0-31	2nd	01/01/20	228	
0-32	4th	01/01/20	228	
0-32.1	Original	07/01/16		
0-33	2nd	01/01/20	228	
0-34	1st	01/01/20	228	

# Section 1 Application of Tariff 1-1 1st

Section 2 Ge	eneral Regulations		
2-1	Original	07/01/16	
2-2	Original	07/01/16	
2-3	Original	07/01/16	
2-4	Original	07/01/16	
2-5	Original	07/01/16	
2-6	Original	07/01/16	
2-7	Original	07/01/16	
2-8	1st	07/01/16	
2-9	1st	07/01/16	
2-9.1	1st	07/01/16	
2-9.2	Original	07/01/16	
2-10	1st	07/01/16	
2-11	1st	07/01/16	
2-12	Original	07/01/16	
2-13	Original	07/01/16	
2-14	Original	07/01/16	
2-15	Original	07/01/16	
2-16	Original	07/01/16	
2-17	Original	07/01/16	
2-18	1st	07/01/16	
2-19	3rd	07/01/16	
2-19.1	Original	07/01/16	
2-19.2	Original	07/01/16	
2-20	3rd	07/01/16	
2-20.1	2nd	07/01/16	
2-21	4th	07/01/16	
2-22	2nd	07/01/16	
2-22.1	Original	07/01/16	
2-23	2nd	07/01/16	

TR 228

ISSUED: December 30, 2019 EFFECTIVE: January 1, 2020

# CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective Date	JSI Trans. No.	<b>Exception Statement</b>			
		Date	110.				
Section 2 Gener	Section 2 General Regulations (Cont'd)						
2-24	2nd	07/01/16					
2-25	3rd	07/01/16					
2-25.1	Original	07/01/16					
2-25.2	Original	07/01/16					
2-25.3	Original	07/01/16					
2-26	2nd	07/01/16					
2-27	1st	07/01/16					
2-27.1	Original	07/01/16					
2-28	2nd	01/11/17	204				
2-29	2nd	01/11/17	204				
2-30	2nd	01/11/17	204				
2-31	Original	07/01/16	204				
2-32	2nd	04/01/10	230				
2-32.1	Original	07/01/16	230				
2-32.1	Original						
2-32.2	1st	07/01/16					
		07/01/16					
2-33.1	Original	07/01/16					
2-34	5th	07/01/16					
2-35	1st	07/01/16					
2-36	3rd	07/01/16					
2-37	3rd	07/01/16					
2-37.1	1st	07/01/16					
2-38	Original	07/01/16					
2-39	Original	07/01/16					
2-40	Original	07/01/16					
2-41	Original	07/01/16					
2-42	Original	07/01/16					
2-43	Original	07/01/16					
2-44	Original	07/01/16					
2-45	Original	07/01/16					
2-46	1st	07/01/16					
2-47	Original	07/01/16					
2-48	1st	07/01/16					
2-49	1st	07/01/16					
2-50	1st	07/01/16					
2-51	1st	07/01/16					
2-52	1st						
2-53	3rd	07/01/16 07/01/16					
2-53 2-54	1st						
2-54 2-55	2nd	07/01/16					
		07/01/16					
2-56	3rd	07/01/16					
2-57	3rd	07/01/16					
				TR 230			

ISSUED: March 31, 2020 EFFECTIVE: April 1, 2020

#### CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective Date	JSI Trans. No.	<b>Exception Statement</b>				
Section 2 Gener	Section 2 General Regulations (Cont'd)							
2-57.1	Original (Cont.)	07/01/16						
2-57.2	Original	07/01/16						
2-57.3	1st	07/01/16						
2-57.4	Original	07/01/16						
2-58	1st	07/01/16						
2-59	4th	07/01/16						
2-60	5th	07/01/16						
2-60.1	5th	07/03/18	215					
2-60.2	Original	07/03/18	215					
2-61	2nd	07/01/16	-					
2-62	1st	07/01/16						
2-63	3rd	01/11/17	204					
2-64	3rd	07/01/16	_*.					
2-64.1	2nd	07/01/16						
2-65	4th	07/01/16						
2-66	1st	07/01/16						
2-67	3rd	11/01/19	227					
2-67.1	Original	07/01/16	,					
2-68	2nd	07/01/16						
2-68.1	1st	07/01/16						
2-69	1st	07/01/16						
2-70	2nd	07/01/16						
2-70.1	1st	07/01/16						
2-71	3rd	07/01/16						
2-71.1	2nd	07/01/16						
2-72	4th	07/01/16						
2-73	5th	08/31/19	225					
2-73.1	Original	07/01/16						
2-74	4th	07/01/16						
2-75	3rd	07/01/16						
2-76	3rd	07/01/16						
2-77	7th	08/31/19	225					
2-77.1	2nd	08/31/19	225					
2-78	5th	07/01/16	223					
2-79	2nd	07/01/16						
Section 2 Feder	al Universal Service							

Section 3 Federal Universal Service Charge, ISDN Line Ports, DS1 Line Ports and Consumer Broadband-Only Loop Charge

Section 4 End User Access Service

Not applicable to intrastate

Not applicable to intrastate

TR 227

EFFECTIVE: November 1, 2019 ISSUED: October 28, 2019

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	
		Date	No.	
G 4: 5 A	0.1.			
Section 5 Acces		07/01/16		
• -	1st	07/01/16		
5-2	1st	07/01/16		
5-3	1st	07/01/16		
5-4	1st	07/01/16		
5-5	3rd	07/01/16		
5-5.1	2nd	07/01/16		
5-6	1st	07/01/16		
5-7	4th	07/01/16		
5-8	2nd	07/01/16		
5-9	2nd	07/01/16		
5-10	1st	07/01/16		
5-11	Original	07/01/16		
5-12	1st	07/01/16		
5-12.1	Original	07/01/16		
5-12.2	1st	08/31/19	225	
5-12.3	Original	07/01/16		
5-13	1st	07/01/16		
5-14	Original	07/01/16		
5-14.1	1st	07/01/16		
5-14.2	1st	07/01/16		
5-14.3	Original	07/03/18	215	
5-14.4	Original	07/03/18	215	
5-14.5	Original	07/03/18	215	
5-14.6	Original	07/03/18	215	
5-15	Original	07/01/16		
5-16	1st	07/01/16		
5-17	Original	07/01/16		
5-18	6th	07/01/16		
5-18.1	3rd	07/01/16		
5-18.1.1	3rd	07/02/19	223	
5-18.1.2	Original	07/03/18	215	
5-19	6th	07/01/16	213	
5-20	2nd	07/01/16		
5-21	Original	07/01/16		
5-22	1st	07/01/16		
5-23	4th	07/01/16		
5-24	Original	07/01/16		
5-25	1st	07/01/16		
5-26	2nd	07/01/16		
5-20	ZIIQ	07/01/10		

TR 225

ISSUED: August 28, 2019 EFFECTIVE: August 31, 2019

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	•
		Date	No.	
Section 6 Switch	hed Access Service			See Exception at Page 2 for
				additional VoIP PSTN regulations
				applicable to intrastate
6-1	3rd	07/01/16		
6-2	3rd	07/01/16		
6-2.1	Original	07/01/16		
6-3	1st	07/01/16		
6-4	3rd	07/01/16		
6-5	Original	07/01/16		
6-6	2nd	08/31/19	225	
6-7	4th	07/01/16		
6-7.1	3rd	07/01/16		
6-8	1st	07/01/16		
6-9	5th	07/01/16		
6-10	3rd	07/01/16		
6-10.1	2nd	07/01/16		
6-10.1.1	Original	07/01/16		
6-10.1.2	Original	07/01/16		
6-10-1.3	Original	07/01/16		
6-10.2	5th	07/01/16		
6-10.3	4th	07/01/16		
6-10.4	3rd	07/01/16		
6-10.5	3rd	07/01/16		
6-10.6	1st	07/01/16		
6-10.7	Original	07/01/16		
6-10.8	Original	07/01/16		
6-11	3rd	07/01/16		
6-12	3rd	07/01/16		
6-12.1	Original	07/01/16		
6-13	2nd	07/01/16		
6-14	2nd	07/01/16		
6-15	Original	07/01/16		
6-16	Original	07/01/16		
6-17	1st	07/01/16		
6-18	Original	07/01/16		
6-19	Original	07/01/16		
6-20	1st	07/01/16		
6-21	3rd	07/01/16		
6-21.1	Original	07/01/16		
6-22	Original	07/01/16		
6-23	Original	07/01/16		
6-24	Original	07/01/16		
6-25	Original	07/01/16		
6-26	2nd	07/01/16		
6-27	Original	07/01/16		
				TR 225

ISSUED: August 28, 2019 EFFECTIVE: August 31, 2019

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	<b>Effective</b>	Trans.	•
J		Date	No.	
Section 6 Switch	ned Access Service (Co	ont'd)		•
6-28	Original	07/01/16		
6-29	Original	07/01/16		
6-29.1	1st	07/01/16		
6-30	2nd	07/01/16		
6-31	2nd	07/01/16		
6-31.1	Original	07/01/16		
6-32	Original	07/01/16		
6-33	1st	07/01/16		
6-34	2nd	07/01/16		
6-35	3rd	07/01/16		
6-35.1	Original	07/01/16		
6-36	3rd	07/01/16		
6-36.1	2nd	07/01/16		
6-37	Original	07/01/16		
6-38	Original	07/01/16		
6-39	Original	07/01/16		
6-40	Original	07/01/16		
6-41	1st	07/01/16		
6-42	Original	07/01/16		
6-43	1st	07/01/16		
6-44	1st	07/01/16		
6-45	1st	07/01/16		
6-46	1st	07/01/16		
6-47	Original	07/01/16		
6-48	3rd	07/01/16		
6-49	3rd	07/01/16		
6-50	2nd	07/01/16		
6-51	2nd	07/01/16		
6-52	2nd	07/01/16		
6-53	1st	07/01/16		
6-54	Original	07/01/16		
6-55	Original	07/01/16		
6-56	Original	07/01/16		
6-57	Original	07/01/16		
6-58	3rd	07/01/16		
6-59	Original	07/01/16		
6-60	Original	07/01/16		
6-61	Original	07/01/16		
6-62	Original	07/01/16		
6-63	Original	07/01/16		
6-64	Original	07/01/16		
6-65	Original	07/01/16		
6-66	Original	07/01/16		
6-67	Original	07/01/16		
6-68	2nd	07/01/16		

## CHECK SHEETS (Cont'd)

No.   Section 6 Switch-of-Access Service (Cont d)	NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Section 6 Switched Access Service (Cont'd)				Trans.	
6-69 2nd 07/01/16 6-70 Original 07/01/16 6-71 Original 07/01/16 6-72 Original 07/01/16 6-73 Original 07/01/16 6-74 Original 07/01/16 6-75 Original 07/01/16 6-75 Original 07/01/16 6-76 1st 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-88 1st 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-89 1st 07/01/16 6-89 1st 07/01/16 6-90 Original 07/01/16 6-91 Original 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-90 Original 07/01/16 6-90 Original 07/01/16 6-91 Original 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-100 1st 07/01/16 6-101 1st 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-1010 1st 07/01/16 6-1010 1st 07/01/16 6-1011 1st 07/01/16					
6-69 2nd 07/01/16 6-70 Original 07/01/16 6-71 Original 07/01/16 6-72 Original 07/01/16 6-73 Original 07/01/16 6-74 Original 07/01/16 6-75 Original 07/01/16 6-75 Original 07/01/16 6-76 1st 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-88 1st 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-89 1st 07/01/16 6-90 Original 07/01/16 6-91 Original 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-90 Original 07/01/16 6-91 Original 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-100 1st 07/01/16 6-101 1st 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-100 Original 07/01/16 6-100 Original 07/01/16 6-101 Original 07/01/16 6-101 Original 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16	Section 6 Switch	hed Access Service (C	ont'd)		
6-71 Original 07/01/16 6-72 Original 07/01/16 6-73 Original 07/01/16 6-74 Original 07/01/16 6-75 Original 07/01/16 6-76 Ist 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-82 Ist 07/01/16 6-83 Original 07/01/16 6-84 Ist 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 Ist 07/01/16 6-87 Original 07/01/16 6-88 Ist 07/01/16 6-89 Ist 07/01/16 6-90 Ist 07/01/16 6-90 Original 07/01/16 6-91 Original 07/01/16 6-92 Ist 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-91 Original 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-91 Ist 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-91 Ist 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-91 Ist 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-94 Ist 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16					
6-71 Original 07/01/16 6-72 Original 07/01/16 6-73 Original 07/01/16 6-74 Original 07/01/16 6-75 Original 07/01/16 6-76 Ist 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-81 2nd 07/01/16 6-82 Ist 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 Ist 07/01/16 6-87 Original 07/01/16 6-88 Ist 07/01/16 6-89 Ist 07/01/16 6-89 Ist 07/01/16 6-90 Ist 07/01/16 6-91 Original 07/01/16 6-92 Ist 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-94 Ist 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-90 Ist 07/01/16 6-91 Ist 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-94 Ist 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 3rd 07/01/16 6-100 Original 07/01/16	6-70	Original	07/01/16		
6-72 Original 07/01/16 6-73 Original 07/01/16 6-74 Original 07/01/16 6-75 Original 07/01/16 6-76 Ist 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 Ist 07/01/16 6-87 Original 07/01/16 6-88 Ist 07/01/16 6-88 Ist 07/01/16 6-89 Ist 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-91 1st 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16 6-100 3rd 07/01/16 6-100 Original 07/01/16 6-100 3rd 07/01/16 6-100 3rd 07/01/16 6-100 Original 07/01/16	6-71	Original			
6-73 Original 07/01/16 6-74 Original 07/01/16 6-75 Original 07/01/16 6-76 1st 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-90 2nd 07/01/16 6-91 07/01/16 6-91 07/01/16 6-92 1st 07/01/16 6-93 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16	6-72				
6-75 Original 07/01/16 6-76 Ist 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-81 2nd 07/01/16 6-82 Ist 07/01/16 6-83 Original 07/01/16 6-84 Ist 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 Ist 07/01/16 6-87 Original 07/01/16 6-88 Ist 07/01/16 6-89 Ist 07/01/16 6-90 Ist 07/01/16 6-90 Ist 07/01/16 6-91 Original 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-94 Ist 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1 Ist 07/01/16 6-100 1 Ist 07/01/16 6-100 Original 07/01/16 6-100 Toriginal 07/01/16 6-100 Toriginal 07/01/16 6-100 Toriginal 07/01/16 6-100 Original 07/01/16 6-100 Toriginal 07/01/16 6-100 Original 07/01/16	6-73	Original	07/01/16		
6-75 Original 07/01/16 6-76 Ist 07/01/16 6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-81 2nd 07/01/16 6-82 Ist 07/01/16 6-83 Original 07/01/16 6-84 Ist 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 Ist 07/01/16 6-87 Original 07/01/16 6-88 Ist 07/01/16 6-89 Ist 07/01/16 6-90 Ist 07/01/16 6-90 Ist 07/01/16 6-91 Original 07/01/16 6-92 Ist 07/01/16 6-93 Original 07/01/16 6-94 Ist 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1 Ist 07/01/16 6-100 1 Ist 07/01/16 6-100 Original 07/01/16 6-100 Toriginal 07/01/16 6-100 Toriginal 07/01/16 6-100 Toriginal 07/01/16 6-100 Original 07/01/16 6-100 Toriginal 07/01/16 6-100 Original 07/01/16	6-74	Original	07/01/16		
6-76 6-77 Original 6-77 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 6-87 Original 07/01/16 6-88 1st 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-99 Original 07/01/16 6-90 01 1st 07/01/16 6-91 07/01/16 6-91 07/01/16 6-91 07/01/16 6-91 07/01/16 6-91 07/01/16 6-91 07/01/16 6-91 07/01/16 6-91 07/01/16 6-92 07/01/16 6-93 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16	6-75	Original	07/01/16		
6-77 Original 07/01/16 6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 0riginal 07/01/16	6-76				
6-78 Original 07/01/16 6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16	6-77	Original			
6-79 Original 07/01/16 6-80 Original 07/01/16 6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 1st 07/01/16 6-100 0riginal 07/01/16	6-78				
6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 Original 07/01/16	6-79	Original	07/01/16		
6-81 2nd 07/01/16 6-82 1st 07/01/16 6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 Original 07/01/16 6-101 1st 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 1st 07/01/16 6-100 Original 07/01/16	6-80	Original	07/01/16		
6-82	6-81				
6-83 Original 07/01/16 6-84 1st 07/01/16 6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-95 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 3rd 07/01/16 6-101 1st 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16		1st			
6-84		Original			
6-85 Original 07/01/16 6-86 1st 07/01/16 6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 Original 07/01/16 6-100 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16					
6-86					
6-87 Original 07/01/16 6-88 1st 07/01/16 6-89 1st 07/01/16 6-90 1st 07/01/16 6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100 1st 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-100 Original 07/01/16 6-101 1st 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16					
6-88		Original			
6-89					
6-90					
6-91 Original 07/01/16 6-92 1st 07/01/16 6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100.1 1st 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-100 Original 07/01/16 6-101 07/01/16 6-102 Original 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16					
6-92					
6-93 Original 07/01/16 6-94 1st 07/01/16 6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-100 1st 07/01/16 6-1010 0riginal 07/01/16 6-1010 0riginal 07/01/16 6-1010 0riginal 07/01/16 6-1010 0riginal 07/01/16 6-1010 1st 07/01/16 6-1010 1st 07/01/16 6-110 1st 07/01/16					
6-94					
6-95 2nd 07/01/16 6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16					
6-96 2nd 07/01/16 6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100.1 1st 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 1st 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-97 2nd 07/01/16 6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100.1 1st 07/01/16 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-100 1st 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-98 2nd 07/01/16 6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100.1 1st 07/01/20 231 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-99 Original 07/01/16 6-100 3rd 07/01/16 6-100.1 1st 07/01/20 231 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-100 3rd 07/01/16 6-100.1 1st 07/01/20 231 6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-100.1 lst 07/01/20 231 6-101 2nd 07/01/16 6-102 lst 07/01/16 6-103 Original 07/01/16 6-104 lst 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 lst 07/01/16 6-111 Original 07/01/16					
6-101 2nd 07/01/16 6-102 1st 07/01/16 6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16				231	
6-102				201	
6-103 Original 07/01/16 6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-104 1st 07/01/16 6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-105 Original 07/01/16 6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-106 Original 07/01/16 6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-107 Original 07/01/16 6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16		Original			
6-108 Original 07/01/16 6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-109 3rd 07/01/16 6-110 1st 07/01/16 6-111 Original 07/01/16					
6-110 1st 07/01/16 6-111 Original 07/01/16					
6-111 Original 07/01/16					
0.112 130 07/01/10					
	J 112	150	07/01/10		

TR 231

EFFECTIVE: July 1, 2020

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	
		Date	No.	
	hed Access Service (C			
6-113	1st	07/01/16		
6-114	Original	07/01/16		
6-115	2nd	07/01/16		
6-116	Original	07/01/16		
6-117	1st	07/01/16		
6-118	1st	07/01/16		
6-119	2nd	07/01/16		
6-120	1st	07/01/16		
6-121	1st	07/01/16		
6-122	1st	07/01/16		
6-123	3rd	07/01/16		
6-123.1	Original	07/01/16		
6-123.2	Original	07/01/16		
6-124	Original	07/01/16		
6-125	1st	07/01/16		
6-126	2nd	07/01/16		
6-127	1st	07/01/16		
6-128	1st	07/01/16		
6-129	1st	07/01/16		
6-130	1st	07/01/16		
6-130.1	Original	07/01/16		
6-130.2	Original	07/01/16		
6-130.3	Original	07/01/16		
6-131	2nd	07/01/16		
6-132	1st	07/01/16		
6-133	1st	07/01/16		
6-134	1st	07/01/16		
6-135	2nd	07/01/16		
Section 7 Specia	al Access Service			
7-1	2nd	07/01/16		
7-2	1st	07/01/16		
7-3	2nd	07/01/16		
7-3.1	8th	07/01/20	231	
7-3.2	10th	07/02/19	223	
7-3.2.1	3rd	03/16/19	221	
7-3.2.2	1st	03/16/19	221	
7-3.2.3	3rd	10/01/20	234	
			-	

TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

## CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective	JSI Trans.	<b>Exception Statement</b>			
r age r amber	ite vision i tumber	Date	No.				
Section 7 Specia	Section 7 Special Access Service (Cont'd)						
7-3.2.4	2nd	07/02/19	223				
7-3.2.5	1st	03/16/19	221				
7-3.2.6	1st	03/16/19	221				
7-3.2.7	1st	03/16/19	221				
7-3.2.8	1st	03/16/19	221				
7-3.2.9	3rd	03/16/19	221				
7-3.2.10	4th	10/01/20	234				
7-3.3	11th	07/02/19	223				
7-3.3.1	4th	03/16/19	221				
7-3.3.2	2nd	03/16/19	221				
7-3.3.3	1st	03/16/19	221				
7-3.3.4	1st	03/16/19	221				
7-3.3.5	5th	10/01/20	234				
7-3.3.6	1st	03/16/19	221				
7-3.3.7	1st	03/16/19	221				
7-3.3.8	1st	03/16/19	221				
7-3.3.9	1st	03/16/19	221				
7-3.3.10	1st	03/16/19	221				
7-3.3.11	3rd	03/16/19	221				
7-3.3.12	3rd	10/01/20	234				
7-3.3.12.1	Original	07/01/20	231				
7-3.4	13th	07/02/19	223				

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	Exception Statement
Page Number	<b>Revision Number</b>	Effective	Trans.	_
		Date	No.	
	al Access Service (Cor	nt'd)	•	
7-3.4.1	3rd	07/01/16		
7-3.4.2	2nd	07/01/16		
7-3.4.3	Original	07/01/16		
7-3.4.4	Original	07/01/16		
7-3.4.5	4th	10/01/20	234	
7-3.4.6	1st	09/01/2018	217	
7-3.4.7	Original	07/01/2017	208	
7-3.4.8	Original	07/01/2017	208	
7-3.4.9	Original	07/01/2017	208	
7-3.4.10	Original	07/01/2017	208	
7-3.4.11	Original	07/01/2017	208	
7-3.4.12	3rd	10/01/20	234	
7-3.4.13	Original	07/01/20	231	
7-3.5	16th	07/02/19	223	
7-3.5.1	3rd	07/01/16		
7-3.5.2	Original	07/01/16		
7-3.5.3	Original	07/01/16		
7-3.5.4	Original	07/01/16		
7-3.5.5	5th	10/01/20	234	
7-3.5.6	1st	03/16/19	221	
7-3.5.7	1st	03/16/19	221	
7-3.5.8	1st	07/01/2017	208	
7-3.5.9	Original	07/01/2017	208	
7-3.5.10	Original	07/01/2017	208	
7-3.5.11	Original	07/01/2017	208	
7-3.5.12	4th	07/01/20	231	
7-3.5.13	Original	07/01/20	231	
7-3.6	15th	07/02/19	223	
7-3.6.1	3rd	07/01/16		
7-3.6.2	Original	07/01/16		
7-3.6.3	Original	07/01/16		
7-3.6.4	Original	07/01/16		
7-3.6.5	5th	10/01/20	234	
7-3.6.6	2nd	03/16/19	221	
7-3.6.7	1st	03/16/19	221	
7-3.6.8	Original	07/01/2017	208	
7-3.6.9	Original	07/01/2017	208	
7-3.6.10	Original	07/01/2017	208	
7-3.6.11	Original	07/01/2017	208	
7-3.6.12	3rd	07/01/20	231	
7-3.6.13	Original	07/01/20	231	

TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

# CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective Date	JSI Trans. No.	Exception Statement
Section 7 Specia	al Access Service (Cor	nt'd)		
7-3.7	5th	07/01/16		
7-4	1st	07/01/16		
7-5	1st	07/01/16		
7-5.1	Original	07/01/16		
7-6	3rd	08/31/19	225	
7-6.1	Original	07/01/16		
7-7	1st	07/01/16		
7-8	2nd	07/01/16		
7-9	Original	07/01/16		
7-10	2nd	07/01/16		
7-10.1	Original	07/01/16		
7-10.2	Original	07/01/16		
7-10.3	Original	07/01/16		
7-11	Original	07/01/16		
7-12	1st	07/01/16		
7-13	2nd	07/01/16		
7-13.1	6th	08/31/19	225	
7-13.2	2nd	07/01/16		
7-13.3	Original	07/01/16		
7-14	2nd	07/01/16		
7-14.1	Original	07/01/16		
7-14.2	1st	07/01/16		
7-14.3	1st	07/01/20	231	
7-15	1st	07/01/16		
7-16	Original	07/01/16		
7-17	Original	07/01/16		
7-18	Original	07/01/16		
7-19	Original	07/01/16		
7-20	Original	07/01/16		

TR 231

## CHECK SHEETS (Cont'd)

NineStar Baga Numbar	NineStar	IURC Effective	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	
Section 7 Speci	ol Access Services (Cor	Date	No.	
7-21	al Access Service (Con 3rd	07/01/16		
7-21	4th	07/01/16		
7-22	1st	07/01/16		
7-23 7-24	1st	07/01/16		
7-25	1st	07/01/16		
7-26	2nd	07/01/16		
7-27	3rd	07/01/16		
7-27.1	Original	07/01/16		
7-27.2	1st	07/01/16		
7-28	2nd	07/01/16		
7-29	1st	07/01/16		
7-30	2nd	07/01/16		
7-30.1	Original	07/01/16		
7-30.1	Original	07/01/16		
7-30.3	Original	07/01/16		
7-30.4	Original	07/01/16		
7-31	2nd	07/03/18	215	
7-31.1	Original	07/03/18	215	
7-32	2nd	07/03/16	213	
7-33	1st	07/01/16		
7-34	2nd	07/01/16		
7-34.1	5th	08/31/19	225	
7-34.2	5th	08/31/19	225	
7-34.3	4th	08/31/19	225	
7-34.3.1	2nd	08/31/19	225	
7-34.3.2	Original	07/01/16	223	
7-34.3.3	Original	07/01/16		
7-34.3.4	Original	07/01/16		
7-34.4	6th	08/31/19	225	
7-34.4.1	1st	08/31/19	225	
7-34.5	Original	07/01/16	223	
7-34.6	Original	07/01/16		
7-34.7	Original	07/01/16		
7-34.8	Original	07/01/16		
7-34.9	Original	07/01/16		
7-34.10	1st	07/01/16		
7-34.11	1st	07/01/16		
7-35	1st	07/01/16		
7-36	2nd	07/01/16		
7-37	1st	07/01/16		
7-38	1st	07/01/16		
7-39	2nd	07/01/16		
7-39.1	2nd	07/01/16		
7-39.2	Original	07/01/16		
7-40	1st	07/01/16		
		-		

TR 225

ISSUED: August 28, 2019 EFFECTIVE: August 31, 2019

## CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective	JSI Trans.	Exception Statement
	1 4 6 : (6	Date	No.	
Section / Special 7-41	al Access Service (Cor			
		07/01/16		
7-42 7-43	Original	07/01/16		
7-43 7-44	Original	07/01/16		
7-44 7-45	Original	07/01/16		
7-43 7-46	Original	07/01/16		
	Original	07/01/16		
7-47	Original	07/01/16		
7-48	Original	07/01/16		
7-49	Original	07/01/16		
7-50	Original	07/01/16		
7-51	Original	07/01/16		
7-52	Original	07/01/16		
7-53	1st	07/01/16		
7-54	1st	07/01/16		
7-55	Original	07/01/16		
7-56	Original	07/01/16		
7-57	1st	07/01/16		
7-58	2nd	07/01/16		
7-58.1	5th	07/01/16		
7-58.2	Original	07/01/16		
7-59	5th	08/31/19	225	
7-59.1	1st	08/31/19	225	
7-60	3rd	07/01/16		
7-61	2nd	07/01/16		
7-61.1	3rd	08/31/19	225	
7-61.2	4th	07/01/16		
7-61.3	Original	07/01/16		
7-61.4	Original	07/01/16		
7-61.5	Original	07/01/16		
7-61.6	Original	07/01/16		
7-61.7	Original	07/01/16		
7-61.8	Original	08/31/19	225	
7-61.9	Original	08/31/19	225	
7-62	2nd	07/01/16		
7-63	Original	07/01/16		
Section 8 Digita	al Subscriber Line Acc	ess Service		Not applicable to NineStar

Section 9 Reserved for Future use

Section 10 Special Federal Government Access Service Not applicable to NineStar

TR 225

ISSUED: August 28, 2019 EFFECTIVE: August 31, 2019

# CHECK SHEETS (Cont'd)

NineStar NineStar	IURC	JSI	Exception Statement
Page Number   Revision Num		Trans. No.	
Section 11 Special Facilities Ro	Date	INO.	
11-1 Original	07/01/16		
11-2 Original	07/01/16		
11 <b>2</b>	07701710		
Section 12 Specialized Service	Arrangements		
12-1 1st	07/01/16		
Section 13 Additional Engineer	ing, Additional Labor	and Miscellane	eous Services
13-1 1st	07/01/16		
13-2 1st	07/01/16		
13-3 1st	07/01/16		
13-4 Original	07/01/16		
13-5 1st	07/01/16		
13-6 Original	07/01/16		
13-7 Original	07/01/16		
13-8 Original	07/01/16		
13-9 1st	07/01/16		
13-10 Original	07/01/16		
13-11 1st	07/01/16		
13-12 Original	07/01/16		
13-13 – 13-17			Presubscription not applicable to
			intrastate
13-18 3rd	07/01/16		
13-19 2nd	07/01/16		
13-20 2nd	07/01/16		
13-20.1 Original	07/01/16		
13-21 2nd	07/01/16		
13-21.1 1st	07/01/16		
13-22 2nd	07/01/16		
13-23 Original	07/01/16		
13-24 1st	07/01/16		
13-25 Original	07/01/16		
13-26 – 13-30			Local Number Portability not
			applicable to intrastate
13-31 – 13-33			Access Recovery Charge not
			applicable to intrastate

Section 14 Reserved for Future Use

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	Exception Statement
Page Number	Revision Number	<b>Effective</b>	Trans.	_
		Date	No.	

C 4 : 1 5 A	C	. T	1 77	C
Section 15 Acco	ess Servic	e interfaces and	1 1 ransmission	Specifications

15-1	1st	07/01/16
15-2	Original	07/01/16
15-3	1st	07/01/16
15-4	Original	07/01/16
15-5	1st	07/01/16
15-6	Original	07/01/16
15-7	1st	07/01/16
15-8	1st	07/01/16
15-9	Original	07/01/16
15-10	Original	07/01/16
15-11	Original	07/01/16
15-12	Original	07/01/16
15-13	Original	07/01/16
15-14	Original	07/01/16
15-15	Original	07/01/16
15-16	Original	07/01/16
15-17	Original	07/01/16
15-18	Original	07/01/16
15-19	Original	07/01/16
15-20	Original	07/01/16
15-21	Original	07/01/16
15-22	1st	07/01/16
15-23	Original	07/01/16
15-24	1st	07/01/16
15-25	1st	07/01/16
15-26	1st	07/01/16
15-27	1st	07/01/16
15-28	Original	07/01/16
15-29	Original	07/01/16
15-30	Original	07/01/16
15-31	Original	07/01/16
15-32	Original	07/01/16
15-33	Original	07/01/16
15-34	1st	07/01/16
15-35	Original	07/01/16
15-35.1	Original	07/01/16
15-36	Original	07/01/16
15-37	1st	07/01/16
15-38	1st	07/01/16
15-39	Original	07/01/16
15-40	1st	07/01/16
15-41	Original	07/01/16

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>		
Page Number	Revision Number	Effective	Trans.	Exception Statement		
1 age Mulliber	ACVISION NUMBER	Date	No.			
Section 15 Acce	Section 15 Access Service Interfaces and Transmission Specifications (Cont'd)					
15-42	Original	07/01/16	Броотпомого	(2011)		
15-43	Original	07/01/16				
15-44	Original	07/01/16				
15-45	1st	07/01/16				
15-46	Original	07/01/16				
15-47	Original	07/01/16				
15-48	Original	07/01/16				
15-49	Original	07/01/16				
15-50	Original	07/01/16				
15-51	Original	07/01/16				
15-52	Original	07/01/16				
15-53	Original	07/01/16				
15-54	Original	07/01/16				
15-55	2nd	08/31/19	225			
Section 16 Publ	ic Packet Data Networ	·k				
16-1	7th	07/01/20	231			
16-1.1	5th	03/16/19	221			
16-1.1.1	1st	03/16/19	221			
16-1.1.2	1st	03/16/19	221			
16-1.1.3	1st	03/16/19	221			
16-1.1.4	1st	03/16/19	221			
16-1.1.5	3rd	10/01/20	234			
16-1.1.6	2nd	03/16/19	221			
16-1.1.7	1st	03/16/19	221			
16-1.1.8	1st	03/16/19	221			
16-1.1.9	1st	03/16/19	221			
16-1.1.10	1st	03/16/19	221			
16-1.1.11	2nd	03/16/19	221			
16-1.2	Original	07/01/16				
16-2	2nd	07/01/16				
16-3	Original	07/01/16				
16-4	1st	07/01/16				
16-4.1	Original	07/01/16				
16-5	1st	07/01/16				
16-5.1	Original	07/01/16				
16-6	2nd	07/01/16				

TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

# CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective	JSI Trans.	Exception Statement
		Date	No.	
Section 16 Publ	ic Packet Data Networ	<u>k</u> (Cont'd)		
16-7	2nd	07/01/16		
16-8	1st	07/01/16		
16-8.1	Original	07/01/16		
16-8.2	Original	07/01/16		
16-9	Original	07/01/16		
16-10	Original	07/01/16		
16-11	Original	07/01/16		
16-11.1	Original	07/01/16		
16-11.2	Original	07/01/16		
16-11.3	Original	07/01/16		
16-11.4	1st	07/03/18	215	
16-11.4.1	Original	07/03/18	215	
16-12	11th	07/01/20	231	

TR 231

# CHECK SHEETS (Cont'd)

Page Number   Revision Number   Effective Date   No.   No.	NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Section 16 Public Packet Data Network (Cont'd)   16-12.1   3rd   07/01/16   16-13   3rd   07/01/16   16-14   3rd   07/01/16   16-15   2nd   07/01/16   16-16   1st   07/01/16   16-17   1st   07/01/16   16-18   Original   07/01/16   16-19   1st   07/01/16   16-20.1   Original   07/01/16   16-20.2   Original   07/01/16   16-20.3   1st   07/01/16   16-20.3   1st   07/01/16   16-20.5   Original   07/01/16   16-21   3rd   07/01/16   16-22   Original   07/01/16   16-23   Original   07/01/16   16-24   1st   07/01/16   16-25   Original   07/01/16   16-25   Original   07/01/16   16-27   13th   07/01/16   16-27   13th   07/01/16   16-27.0   Original   07/01/17   208   16-27.0   Original   07/01/16   16-27.1   Original   07/01/17   208					Exception Statement
Section   16 Public Packet Data Network (Cont d)   16-12.1   3rd   07/01/16   16-12.2   1st   07/01/16   16-13   3rd   07/01/16   16-13   3rd   07/01/16   16-14   3rd   07/01/16   16-15   2nd   07/01/16   16-15   2nd   07/01/16   16-16   1st   07/01/16   16-17   1st   07/01/16   16-18   07/01/16   16-18   07/01/16   16-18   07/01/16   16-19   1st   07/01/16   16-20.1   07/01/16   16-20.2   07/01/16   16-20.2   07/01/16   16-20.3   1st   07/01/16   16-20.4   07/01/16   16-20.4   07/01/16   16-20.4   07/01/16   16-21   3rd   07/01/16   16-22   07/01/16   16-22   07/01/16   16-23   07/01/16   16-24   1st   07/01/16   16-25   07/01/16   16-25   07/01/16   16-26   1st   07/01/16   16-26   1st   07/01/16   16-27.0   07/01/16   16-27.0   07/01/16   16-27.0   07/01/16   16-27.0   07/01/16   16-27.0.2   07/01/16   16-27.0.3   07/01/16   16-27.0.3   07/01/16   16-27.0.4   4th   10/01/20   234   16-27.0.5   2nd   07/01/17   208   16-27.0.8   07/01/18   16-27.0.9   07/01/19   223   16-27.0.8   07/01/19   07/01/17   208   16-27.0.9   07/01/18   16-27.0.1   07/01/19   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/16   16-27.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/16   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/16   07/01/17   208   16-27.0.1   07/01/18   07/01/16   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/16   07/01/17   208   07/01/16   07/01/16   07/01/16   07/01/16   07/01/16   07/01/16   07/01/16   07/01/16   07/01/16   07/01/16   07/01/17   208   07/01/16   07/01/16   07/01/16   07/01/17   208   07/01/16	r age r amber	Te vision i vanisei			
16-12.1 3rd 07/01/16 16-13 3rd 07/01/16 16-14 3rd 07/01/16 16-15 2nd 07/01/16 16-16 1st 07/01/16 16-16 1st 07/01/16 16-18 07ginal 07/01/16 16-19 1st 07/01/16 16-20 1st 07/01/16 16-20 1st 07/01/16 16-20.1 Original 07/01/16 16-20.2 Original 07/01/16 16-20.3 1st 07/01/16 16-20.3 1st 07/01/16 16-20.5 Original 07/01/16 16-21 3rd 07/01/16 16-22 Original 07/01/16 16-22 Original 07/01/16 16-23 Original 07/01/16 16-24 1st 07/01/16 16-25 Original 07/01/16 16-25 Original 07/01/16 16-27 13th 07/01/16 16-27 13th 07/01/16 16-27 0 Original 07/01/16 16-27 13th 07/01/16 16-27.0 Original 07/01/17 16-27.1 Original 07/01/17 16-2	Section 16 Publ	ic Packet Data Networ	•	1100	
16-12.2					
16-13   3rd   07/01/16   16-15   2nd   07/01/16   16-15   2nd   07/01/16   16-16   1st   07/01/16   16-16   1st   07/01/16   16-18   07/01/16   16-18   07/01/16   16-19   1st   07/01/16   16-20   1st   07/01/16   16-20.   1st   07/01/16   16-20.   1st   07/01/16   16-20.3   1st   07/01/16   16-20.3   1st   07/01/16   16-20.5   07/01/16   16-20.5   07/01/16   16-21.3   07/01/16   16-22   07/01/16   16-22   07/01/16   16-22   07/01/16   16-23   07/01/16   16-24   1st   07/01/16   16-25   07/01/16   16-25   07/01/16   16-25   07/01/16   16-25   07/01/16   16-27   13th   07/01/16   16-27   13th   07/01/16   16-27.0.1   07/01/16   16-27.0.2   07/01/16   16-27.0.3   4th   07/01/16   16-27.0.3   4th   07/01/16   16-27.0.5   2nd   07/01/17   208   16-27.0.6   07/01/18   07/01/17   208   16-27.0.8   07/01/18   07/01/17   208   16-27.0.1   07/01/18   07/01/17   208   16-27.0.2   07/01/18   07/01/17   208   16-27.0.1   2nd   07/01/17   208   16-27.0.1   2nd   07/01/16   16-27.1.1   07/01/18   07/01/17   208   16-27.0.1   2nd   07/01/17   208   16-27.0.1   2nd   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/17   208   16-27.0.1   2nd   07/01/17   208   16-27.0.1   2nd   07/01/17   208   16-27.0.1   2nd   07/01/17   208   16-27.1.1   07/01/18   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/16   16-27.1.1   07/01/17   208   16-27.1.1   07/01/17   208   16-27.1.1   07/01/17   208   16-27.1.1   07/01/17   208   16-27.1.					
16-14   3rd   07/01/16     16-15   2nd   07/01/16     16-16   1st   07/01/16     16-17   1st   07/01/16     16-18   07/01/16     16-19   1st   07/01/16     16-20.1   07/01/16     16-20.1   07/01/16     16-20.1   07/01/16     16-20.2   07/01/16     16-20.3   1st   07/01/16     16-20.4   07/01/16     16-20.4   07/01/16     16-20.4   07/01/16     16-20.5   07/01/16     16-20.5   07/01/16     16-20.5   07/01/16     16-20.5   07/01/16     16-21   3rd   07/01/16     16-22   07/01/16     16-22   07/01/16     16-23   07/01/16     16-24   1st   07/01/16     16-25   07/01/16     16-26   1st   07/01/16     16-27.0   07/01/16     16-27.0   07/01/16     16-27.0   07/01/16   16-27.0.3   4th   07/01/16   16-27.0.3   4th   07/01/16   16-27.0.3   4th   07/01/16   16-27.0.5   2nd   07/01/17   208   16-27.0.5   2nd   07/01/17   208   16-27.0.8   07/01/18   16-27.0.8   07/01/17   208   16-27.0.8   07/01/18   16-27.0.8   07/01/17   208   16-27.0.1   21   22   23   16-27.0.1   21   21   21   23   16-27.0.1   21   21   21   23   16-27.0.1   21   21   21   23   16-27.0.1   21   21   21   21   21   21   21					
16-15					
16-16					
16-17					
16-18					
16-19					
16-20					
16-20.1   Original   O7/01/16					
16-20.2   Original   O7/01/16   16-20.3   1st   O7/01/16   16-20.4   Original   O7/01/16   16-20.5   Original   O7/01/16   16-21   3rd   O7/01/16   16-22   Original   O7/01/16   16-23   Original   O7/01/16   16-23   Original   O7/01/16   16-24   1st   O7/01/16   16-25   Original   O7/01/16   16-26   1st   O7/01/16   16-27.0   Original   O7/01/16   16-27.0   Original   O7/01/16   16-27.0   Original   O7/01/16   16-27.0.1   Original   O7/01/16   16-27.0.2   Original   O7/01/16   16-27.0.2   Original   O7/01/16   16-27.0.3   4th   O7/02/19   223   16-27.0.4   4th   10/01/20   234   16-27.0.5   2nd   O7/02/19   223   16-27.0.8   Original   O7/01/17   208   16-27.0.8   Original   O7/01/17   208   16-27.0.9   Original   O7/01/17   208   16-27.0.10   Original   O7/01/17   208   16-27.0.10   Original   O7/01/17   208   16-27.0.11   2nd   O7/02/19   223   16-27.0.12   1st   O7/01/17   208   16-27.0.11   2nd   O7/02/19   223   16-27.0.12   1st   O7/01/17   208   16-27.0.13   Original   O7/01/17   208   16-27.0.14   4th   O7/02/19   223   16-27.0.15   Original   O7/01/17   208   16-27.0.16   Original   O7/01/17   208   16-27.1.1   Original   O7/01/17   208   16-27.1.1   Original   O7/01/17   208   16-27.1.2   Original   O7/01/17   208   16-27.1.3   Original   O7/01/16   16-27.1.4   4th   O7/02/19   223   16-27.1.5   4th   O//02/19   223   16-27.1.6   2nd   Original   O7/01/16   16-27.1.7   1st   Original   O7/01/16   16-27.1.8   Original   O7/01/17   208   16-27.1.9   Original   O7/01/17   208   16-27.1.10   Original   O7/01/17   208   16-27.1.11   Original   O7/01/17   208   16-27.1.12   Original   O7/01/17   208   16-27.1.11   Original   O7/01/17   208   1					
16-20.3					
16-20.4					
16-20.5					
16-21   3rd					
16-22					
16-23					
16-24					
16-25         Original         07/01/16           16-26         1st         07/01/16           16-27         13th         07/01/16           16-27.0         Original         07/01/16           16-27.0.1         Original         07/01/16           16-27.0.2         Original         07/01/16           16-27.0.3         4th         07/02/19         223           16-27.0.4         4th         10/01/20         234           16-27.0.5         2nd         07/02/19         223           16-27.0.6         Original         07/01/17         208           16-27.0.7         Original         07/01/17         208           16-27.0.8         Original         07/01/17         208           16-27.0.9         Original         07/01/17         208           16-27.0.10         Original         07/01/17         208           16-27.0.11         2nd         07/02/19         223           16-27.0.12         1st         07/01/20         231           16-27.1.1         6th         07/01/16         07/01/16           16-27.1.1         Original         07/01/16         07/01/16           16-27.1.2         4th <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
16-26       1st       07/01/16         16-27       13th       07/01/16         16-27.0       Original       07/01/16         16-27.0.1       Original       07/01/16         16-27.0.2       Original       07/01/16         16-27.0.3       4th       07/02/19       223         16-27.0.4       4th       10/01/20       234         16-27.0.5       2nd       07/02/19       223         16-27.0.6       Original       07/01/17       208         16-27.0.7       Original       07/01/17       208         16-27.0.8       Original       07/01/17       208         16-27.0.9       Original       07/01/17       208         16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/16       231         16-27.1.1       6th       07/01/16       07/01/16         16-27.1.2       Original       07/01/16       07/01/16         16-27.1.3       Original       07/01/16       07/01/16         16-27.1.5       4th       10/01/20       234         16-27.1.5       2nd					
16-27         13th         07/01/16           16-27.0.1         Original         07/01/16           16-27.0.2         Original         07/01/16           16-27.0.3         4th         07/02/19         223           16-27.0.4         4th         10/01/20         234           16-27.0.5         2nd         07/02/19         223           16-27.0.6         Original         07/01/17         208           16-27.0.7         Original         07/01/17         208           16-27.0.8         Original         07/01/17         208           16-27.0.9         Original         07/01/17         208           16-27.0.10         Original         07/01/17         208           16-27.0.11         2nd         07/02/19         223           16-27.0.12         1st         07/01/17         208           16-27.0.13         Original         07/01/20         231           16-27.1.1         6th         07/01/20         231           16-27.1.2         1st         07/01/16           16-27.1.3         Original         07/01/16           16-27.1.2         Original         07/01/16           16-27.1.3         4th <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
16-27.0         Original         07/01/16           16-27.0.1         Original         07/01/16           16-27.0.2         Original         07/01/16           16-27.0.3         4th         07/02/19         223           16-27.0.4         4th         10/01/20         234           16-27.0.5         2nd         07/02/19         223           16-27.0.6         Original         07/01/17         208           16-27.0.7         Original         07/01/17         208           16-27.0.8         Original         07/01/17         208           16-27.0.9         Original         07/01/17         208           16-27.0.10         Original         07/01/17         208           16-27.0.12         1st         07/01/12         223           16-27.0.13         Original         07/01/20         231           16-27.1.1         Original         07/01/16           16-27.1.2         Original         07/01/16           16-27.1.3         Original         07/01/16           16-27.1.4         4th         07/02/19         223           16-27.1.5         4th         10/01/20         234           16-27.1.6         2nd					
16-27.0.1   Original   O7/01/16     16-27.0.2   Original   O7/01/16     16-27.0.3   4th   O7/02/19   223     16-27.0.4   4th   10/01/20   234     16-27.0.5   2nd   O7/02/19   223     16-27.0.6   Original   O7/01/17   208     16-27.0.7   Original   O7/01/17   208     16-27.0.8   Original   O7/01/17   208     16-27.0.9   Original   O7/01/17   208     16-27.0.10   Original   O7/01/17   208     16-27.0.11   2nd   O7/02/19   223     16-27.0.12   1st   O7/01/20   231     16-27.0.13   Original   O7/01/16     16-27.1.1   Original   O7/01/16     16-27.1.2   Original   O7/01/16     16-27.1.3   Original   O7/01/16     16-27.1.4   4th   O7/02/19   223     16-27.1.5   4th   10/01/20   234     16-27.1.6   2nd   O8/31/19   225     16-27.1.7   1st   O7/01/20   231     16-27.1.8   Original   O7/01/17   208     16-27.1.9   Original   O7/01/17   208     16-27.1.10   Original   O7/01/17   208     16-27.1.11   Original   O7/01/17   208     16-27.1.12   Original   O7/01/17   208     16-27.1.10   Original   O7/01/17   208     16-27.1.11   Original   O7/01/17   208     16-27.1.12   3rd   O7/02/19   223					
16-27.0.2         Original         07/01/16           16-27.0.3         4th         07/02/19         223           16-27.0.4         4th         10/01/20         234           16-27.0.5         2nd         07/02/19         223           16-27.0.6         Original         07/01/17         208           16-27.0.7         Original         07/01/17         208           16-27.0.8         Original         07/01/17         208           16-27.0.9         Original         07/01/17         208           16-27.0.10         Original         07/01/17         208           16-27.0.11         2nd         07/02/19         223           16-27.0.12         1st         07/01/20         231           16-27.0.13         Original         07/01/16         07/01/16           16-27.1.1         Original         07/01/16         07/01/16           16-27.1.2         Original         07/01/16         07/01/16           16-27.1.3         Original         07/01/16         07/02/19         223           16-27.1.4         4th         07/02/19         223           16-27.1.5         4th         10/01/20         231           16-27.1.6 </td <td></td> <td></td> <td></td> <td></td> <td></td>					
16-27.0.3       4th       07/02/19       223         16-27.0.4       4th       10/01/20       234         16-27.0.5       2nd       07/02/19       223         16-27.0.6       Original       07/01/17       208         16-27.0.7       Original       07/01/17       208         16-27.0.8       Original       07/01/17       208         16-27.0.9       Original       07/01/17       208         16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/16         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original					
16-27.0.4       4th       10/01/20       234         16-27.0.5       2nd       07/02/19       223         16-27.0.6       Original       07/01/17       208         16-27.0.7       Original       07/01/17       208         16-27.0.8       Original       07/01/17       208         16-27.0.9       Original       07/01/17       208         16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/16         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/17       208         16-27.1.8       Original       07/01/17       208         16-27.1.10       Original				223	
16-27.0.5 2nd 07/02/19 223 16-27.0.6 Original 07/01/17 208 16-27.0.7 Original 07/01/17 208 16-27.0.8 Original 07/01/17 208 16-27.0.9 Original 07/01/17 208 16-27.0.10 Original 07/01/17 208 16-27.0.11 2nd 07/02/19 223 16-27.0.12 1st 07/01/20 231 16-27.0.13 Original 07/01/16 16-27.1.1 Original 07/01/16 16-27.1.2 Original 07/01/16 16-27.1.3 Original 07/01/16 16-27.1.4 4th 07/02/19 223 16-27.1.5 4th 10/01/20 234 16-27.1.6 2nd 08/31/19 225 16-27.1.7 1st 07/01/20 231 16-27.1.8 Original 07/01/17 208 16-27.1.9 Original 07/01/17 208 16-27.1.10 Original 07/01/17 208 16-27.1.11 Original 07/01/17 208 16-27.1.11 Original 07/01/17 208 16-27.1.11 Original 07/01/17 208 16-27.1.11 Original 07/01/17 208					
16-27.0.6       Original       07/01/17       208         16-27.0.7       Original       07/01/17       208         16-27.0.8       Original       07/01/17       208         16-27.0.9       Original       07/01/17       208         16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/20       231         16-27.1.1       6th       07/01/16       07/01/16         16-27.1.2       Original       07/01/16       07/01/16         16-27.1.3       Original       07/01/16       07/02/19       223         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.12 <td></td> <td></td> <td></td> <td></td> <td></td>					
16-27.0.7       Original       07/01/17       208         16-27.0.8       Original       07/01/17       208         16-27.0.9       Original       07/01/17       208         16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/20       231         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/10       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12 <td></td> <td></td> <td></td> <td></td> <td></td>					
16-27.0.8         Original         07/01/17         208           16-27.0.9         Original         07/01/17         208           16-27.0.10         Original         07/01/17         208           16-27.0.11         2nd         07/02/19         223           16-27.0.12         1st         07/01/20         231           16-27.0.13         Original         07/01/16         07/01/16           16-27.1         6th         07/01/16         07/01/16           16-27.1.2         Original         07/01/16         07/01/16           16-27.1.3         Original         07/01/16         07/02/19         223           16-27.1.4         4th         07/02/19         223         07/01/16           16-27.1.5         4th         10/01/20         234         07/01/17         208           16-27.1.6         2nd         08/31/19         225         07/01/17         208           16-27.1.8         Original         07/01/17         208         07/01/17         208           16-27.1.10         Original         07/01/17         208         07/01/17         208           16-27.1.11         Original         07/01/17         208         07/01/17         20					
16-27.0.9       Original       07/01/17       208         16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/20       231         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.0.10       Original       07/01/17       208         16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/20       231         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.0.11       2nd       07/02/19       223         16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/20       231         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.0.12       1st       07/01/20       231         16-27.0.13       Original       07/01/20       231         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.0.13       Original       07/01/20       231         16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1       6th       07/01/16         16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/02/19         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1.1       Original       07/01/16         16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223				231	
16-27.1.2       Original       07/01/16         16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1.3       Original       07/01/16         16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1.4       4th       07/02/19       223         16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1.5       4th       10/01/20       234         16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223				223	
16-27.1.6       2nd       08/31/19       225         16-27.1.7       1st       07/01/20       231         16-27.1.8       Original       07/01/17       208         16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1.7     1st     07/01/20     231       16-27.1.8     Original     07/01/17     208       16-27.1.9     Original     07/01/17     208       16-27.1.10     Original     07/01/17     208       16-27.1.11     Original     07/01/17     208       16-27.1.12     3rd     07/02/19     223					
16-27.1.8     Original     07/01/17     208       16-27.1.9     Original     07/01/17     208       16-27.1.10     Original     07/01/17     208       16-27.1.11     Original     07/01/17     208       16-27.1.12     3rd     07/02/19     223					
16-27.1.9       Original       07/01/17       208         16-27.1.10       Original       07/01/17       208         16-27.1.11       Original       07/01/17       208         16-27.1.12       3rd       07/02/19       223					
16-27.1.10     Original     07/01/17     208       16-27.1.11     Original     07/01/17     208       16-27.1.12     3rd     07/02/19     223					
16-27.1.11 Original 07/01/17 208 16-27.1.12 3rd 07/02/19 223					
16-27.1.12 3rd 07/02/19 223					
TR 234	10 27.1.12	514	01/04/17	443	TR 234

ISSUED: September 28, 2020

EFFECTIVE: October 1, 2020

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	Exception Statement
Page Number	Revision Number	Effective Date	Trans. No.	
Section 16 Publi	ic Packet Data Networ		1100	
16-27.1.13	1st	07/01/20	231	
16-27.1.14	Original	07/01/20	231	
16-27.2	4th	11/01/19	227	
16-28	2nd	07/01/16		
16-29	3rd	07/01/16		
16-30	2nd	07/01/16		
16-31	2nd	07/01/16		
16-32	2nd	07/01/16		
16-33	2nd	07/01/16		
16-34	7th	11/01/19	227	
16-35	2nd	07/01/16		
16-36	8th	11/01/19	227	

TR 231

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	Exception statement
<b>g</b>		Date	No.	
Section 16 Publ	ic Packet Data Networ	k (Cont'd)	<b>-</b>	,
16-37	3rd	07/01/16		
16-38	7th	11/01/19	227	
16-38.1	Original	07/01/16		
16-38.2	Original	07/01/16		
16-38.3	Original	07/01/16		
16-38.4	Original	07/01/16		
16-38.5	Original	07/01/16		
16-38.6	Original	07/01/16		
16-38.7	Original	07/01/16		
16-38.8	Original	07/01/16		
16-39	6th	11/01/19	227	
16-39.1	2nd	11/01/19	227	
16-40	4th	07/02/19	223	
16-40.1	1st	07/01/16		
16-40.2	1st	07/01/16		
16-40.3	1st	07/01/16		
16-40.4	2nd	07/02/19	223	
16-40.5	2nd	07/01/16		
16-40.5.0	1st	07/02/19	223	
16-40.5.01	Original	07/01/16		
16-40.5.02	Original	07/01/16		
16-40.5.1	2nd	07/01/16		
16-40.5.2	1st	07/01/16		
16-40.5.2.1	Original	07/01/16		
16-40-5.2.2	Original	07/01/16		
16-40.5.2.3	Original	07/01/16		
16-40.5.2.4	1st	07/02/19	223	
16-40.5.2.5	1st	07/02/19	223	
16-40.5.2.6	1st	07/02/19	223	
16-40.5.2.7	1st	07/03/18	215	
16-40.5.2.8	Original	10/01/16	199	
16-40.5.3	1st	07/01/16		
16-40.6	1st	07/01/16		
16-40.7	2nd	07/01/16		
16-40.7.1	Original	07/01/16		
16-40.8	1st	07/01/16		

TR 227

ISSUED: October 28, 2019 EFFECTIVE: November 1, 2019

## CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective Date	JSI Trans. No.	Exception Statement		
Section 16 Publ	Section 16 Public Packet Data Network (Cont'd)					
16-40.8.1	Original	10/01/16	199			
16-40.9	Original	07/01/16				
16-40.10	1st	07/01/16				
16-40.11	2nd	07/01/16				
16-40.12	2nd	10/01/16	199			
16-40-12.0	1st	07/02/19	223			
16-40.12.1	Original	07/01/16				
16-40.12.2	Original	07/01/16				
16-40.12.3	1st	07/03/18	215			
16-40.12.4	Original	07/01/16				
16-40.13	3rd	07/03/18	215			
16-40.14	6th	07/03/18	215			
16-40.15	7th	07/01/20	231			
16-40.16	4th	07/01/20	231			

TR 231

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	Effective	Trans.	1
		Date	No.	
	lic Packet Data Networ	rk (Cont'd)		
16-40.17	4th	07/01/20	231	
16-40.18	4th	07/01/20	231	
16-40.18.1	Original	07/03/18	215	
16-40.19	3rd	07/03/18	215	
16-40.20	3rd	07/03/18	215	
16-40.21	3rd	07/03/18	215	
16-40.22	3rd	07/03/18	215	
16-40.23	3rd	07/03/18	215	
16-40.23.1	Original	07/03/18	215	
16-40.24	2nd	07/01/16		
16-40.25	2nd	07/01/16		
16-40.26	1st	07/03/18	215	
16-40.27	4th	08/31/19	225	
16-40.27.0.1	Original	09/01/18	217	
16-40.27.0.2	Original	09/01/18	217	
16-40.27.1	Original	07/03/18	215	
16-40.27.2	Original	07/03/18	215	
16-40.27.3	Original	07/03/18	215	
16-40.27.4	Original	07/03/18	215	
16-40.27.5	Original	07/03/18	215	
16-40.27.6	Original	07/03/18	215	
16-40.27.7	Original	07/03/18	215	
16-40.27.8	Original	09/01/18	217	
16-40.27.9	Original	09/01/18	217	
16-40.28	1st	09/01/18	217	
16-40.29	1st	09/01/18	217	
16-40.30	1st	09/01/18	217	
16-40.31	1st	09/01/18	217	
16-41	6th	07/01/16		
16-41.1	5th	07/01/16		
16-41.2	2nd	07/01/16		
16-41.3	1st	07/01/16		
16-42	2nd	07/01/16		
16-43	1st	07/01/16		
16-44	2nd	07/01/16		
16-45	2nd	07/01/16		
16-46	2nd	07/01/16		
16-47	1st	07/01/16		
16-48	1st	07/01/16		
16-49	2nd	07/01/16		
16-49.1	1st	07/01/16		
16-50	3rd	07/01/16		
16-50.1	2nd	07/01/16		
16-50.2	2nd	07/01/16		
16-50.3	2nd	07/01/16		
16-50.4	1st	07/01/16		

TR 231

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	<b>Effective</b>	Trans.	_
		Date	No.	
Section 16 Pub	lic Packet Data Networ	k (Cont'd)	•	
16-50.5	1st	07/01/16		
16-50.6	1st	07/01/16		
16-50.7	Original	07/01/16		
16-50.8	Original	07/01/16		
16-50.9	Original	07/01/16		
16-50.10	Original	07/01/16		
16-50.11	Original	07/01/16		
16-50.12	Original	07/01/16		
16-50.13	Original	07/01/16		
16-50.14	Original	07/01/16		
16-50.15	Original	07/01/16		
16-51	2nd	07/01/16		
16-51.1	Original	07/01/16		
16-51.2	Original	07/01/16		
16-52	2nd	07/01/16		
16-52.1	Original	07/01/16		
16-53	Original	07/01/16		
16-54	Original	07/01/16		
16-55	1st	07/01/16		
16-55.1	Original	07/01/16		
16-55.2	1st	07/01/16		
16-55.3	Original	07/01/16		
16-56	Original	07/01/16		
16-57	1st	07/01/16		
16-58	1st	07/01/16		
16-59	1st	07/01/16		
16-60	1st	07/01/16		
16-60.1	Original	07/01/16		
16-60.2	Original	07/01/16		
16-60.3	Original	07/01/16		
16-61	9th	07/01/20	231	
16-61.0	1st	03/16/19	221	
16-61.0.1	1st	03/16/19	221	
16-61.0.2	1st	03/16/19	221	
16-61.0.3	1st	03/16/19	221	
16-61.0.4	4th	10/01/20	234	
16-61.0.5	1st	03/16/19	221	
16-61.0.6	1st	03/16/19	221	
16-61.0.7	1st	03/16/19	221	
16-61.0.8	1st	03/16/19	221	
16-61.0.9	1st	03/16/19	221	
16-61.0.10	2nd	03/16/19	221	
16-61.1	Original	07/01/16		
16-62	2nd	07/01/16		

TR 234

ISSUED: September 28, 2020 EFFECTIVE: October 1, 2020

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	Exception Statement
Page Number	Revision Number	Effective	Trans.	-
		Date	No.	
Section 16 Publ	ic Packet Data Networ	k (Cont'd)		
16-63	Original	07/01/16		
16-64	Original	07/01/16		
16-65	Original	07/01/16		
16-66	Original	07/01/16		
16-67	Original	07/01/16		
16-68	Original	07/01/16		
16-69	Original	07/01/16		
16-70	Original	07/01/16		
16-71	3rd	07/01/16		
16-72	1st	07/01/16		
16-72.1	3rd	07/01/16		
16-72.1.1	Original	07/01/16		
16-72.2	Original	07/01/16		
16-73	2nd	07/01/16		
16-74	Original	07/01/16		
16-75	Original	07/01/16		

Material that appears on this page formerly appeared on Original Page CS 21.

TR 208

# CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>
Page Number	<b>Revision Number</b>	<b>Effective</b>	Trans.	
		Date	No.	
Section 16 Publ	ic Packet Data Networ	k (Cont'd)		
16-76	Original	07/01/16		
16-77	Original	07/01/16		
16-78	1st	07/01/16		
16-78.1	Original	07/01/16		
16-78.2	Original	07/01/16		
16-78.3	Original	07/01/16		
16-78.4	Original	07/01/16		
16-78.5	Original	07/01/16		
16-78.6	Original	07/01/16		
16-78.7	Original	07/01/16		
16-78.8	Original	07/01/16		
16-78.9	Original	07/01/16		
16-78.10	Original	07/01/16		
16-78.11	Original	07/01/16		
16-78.12	Original	07/01/16		
16-78.13	Original	07/01/16		
16-78.14	Original	07/01/16		
16-78.15	Original	07/01/16		
16-78.16	Original	07/01/16		
16-79	9th	07/01/16		
16-79.1	2nd	07/01/16		
16-79.2	Original	07/01/16		
16-80	3rd	07/01/16		
16-81	4th	07/01/16		
16-81.1	2nd	07/01/16		
16-82	3rd	07/01/16		
16-83	5th	07/01/16		
16-84	3rd	07/01/16		
16-84.1	1st	07/01/16		
16-85	3rd	07/01/16		
16-86	4th	07/01/16		
16-87	4th	07/01/16		
16-88	2nd	07/01/16		
16-89	4th	07/01/16		
16-90	2nd	07/01/16		
16-91	3rd	07/01/16		
16-92	3rd	07/01/16		
16-92.1	Original	07/01/16		
16-92.2	Original	07/01/16		
16-93	2nd	07/01/16		
16-94	2nd	07/01/16		
16-95	2nd	07/01/16		
16-96	2nd	07/01/16		
16-97	2nd	07/01/16		
16-98	2nd	07/01/16		

## CHECK SHEETS (Cont'd)

NineStar Page Number	NineStar Revision Number	IURC Effective	JSI Trans.	<b>Exception Statement</b>				
		Date	No.					
Section 16 Public Packet Data Network (Cont'd)								
16-99	2nd	07/01/16						
16-100	2nd	07/01/16						
16-101	2nd	07/01/16						
16-102	2nd	07/01/16						
16-103	Original	07/01/16						
16-104	Original	07/01/16						
16-105	Original	07/01/16						
16-106	Original	07/01/16						
16-107	Original	07/01/16						
16-108	Original	07/01/16						
16-109	Original	07/01/16						
16-110	Original	07/01/16						
Section 17 Rate	s and Charges							
17-1851	Original	07/01/16		See exceptions Page 9				
17-1852	Original	07/01/16		200 mg - 100				
17-1853	Original	07/01/16						
17-1854	Original	07/01/16						
17-1855	Original	07/01/16						
17-1856	Original	07/01/16						
17-1857	4th	07/01/20	232					
17-1858	Original	07/01/16						
17-1859	Original	07/01/16						
17-1860	Original	07/01/16						
17-1861	Original	07/01/16						
17-1862	Original	07/01/16						
17-1863	4th	07/01/20	232					
17-1864	4th	07/01/20	232					
17-1865	4th	07/01/20	232					
17-1866	4th	07/01/20	232					
17-1867	Original	07/01/16						
17-1868	Original	07/01/16						
17-1869	Original	07/01/16						
17-1870	4th	07/01/20	232					
17-1871	4th	07/01/20	232					
17-1872	4th	07/01/20	232					
17-1873	4th	07/01/20	232					
17-1874	4th	07/01/20	232					
17-1875	Original	07/01/16						
17-1876	4th	07/01/20	232					
17-1877	4th	07/01/20	232					
17-1878	Original	07/01/16						

TR 232

## CHECK SHEETS (Cont'd)

NineStar	NineStar	IURC	JSI	<b>Exception Statement</b>			
Page Number	<b>Revision Number</b>	Effective	Trans.				
_		Date	No.				
Section 17 Rates and Charges (Cont'd)							
17-1879	Original	07/01/16					
17-1880	Original	07/01/16					
17-1881	Original	07/01/16					
17-1882	Original	07/01/16					
17-1883	Original	07/01/16					
17-1884	Original	07/01/16					
17-1885	Original	07/01/16		See exception Page 9			
17-1886	Original	07/01/16					
17-1887	1st	07/01/17	209	See exception Page 9			
17-1888	Original	07/01/16		See exception Page 9			
17-1889	Original	07/01/16					
17-1890	Original	07/01/16					
17-1891	Original	07/01/16					
17-1892	Original	07/01/16					
17-1893	Original	07/01/16					
17-1894	Original	07/01/16					
17-1895	Original	07/01/16					
17-1896	Original	07/01/16					
17-1897	Original	07/01/16					
17-1898	4th	07/01/20	232				
17-1899	4th	07/01/20	232				
17-1900	4th	07/01/20	232				
17-1901	2nd	07/02/19	224				
17-1902	2nd	07/02/19	224				
17-1903	4th	07/01/20	232				
17-1904	3rd	07/01/20	232				
17-1905	4th	07/01/20	232				
17-1906	4th	07/01/20	232				
17-1907	4th	07/01/20	232				
17-1908	Original	07/01/16					
17-1909	4th	07/01/20	232				
17-1910	Original	07/01/16					
17-1911	4th	07/01/20	232				

TR 232